



The background is a collage of firefighting-related images. It includes a close-up of a firefighter's helmet and gear, a fire truck with "FIRE-RESCUE" written on its side, a firefighter in full gear, and a scene of firefighters battling a large fire with thick smoke and flames.

Photo Album for Town of Burlington, WI Job 35042 January 29, 2021

In this report your apparatus completed alignment and testing. Some option content installation is being finalized followed by release to quality and graphics. It will then be made ready for final inspection. This is your last scheduled report.



DSC01176



DSC01177



DSC01178



DSC01179



DSC01180



DSC01181



DSC01182



DSC01182a



DSC01182b



DSC01182c



DSC01182d



DSC01182e



DSC01182f



DSC01182g



DSC01182h



DSC01182i



DSC01182j



DSC01182k



DSC01182l



DSC01182m

Manufactured by: Pierce Manufacturing, Inc.
Custom Designed and Manufactured Exclusively For
TOWN OF BURLINGTON

Mo./Yr. of Mfg. Feb - 2021 Job No. 35042

GVWR 29,930 KG (64,000 LB) Tire-Limited Max Speed 68 mph

GAWR Front 9,072 KG (20,000 LB) 426/6R22.5 (L) 22.80x12.25 RIMS COLD TIRE INFLATION
Rear 19,858 KG (44,000 LB) 12R22.5 (H) 22.80x8.25 723 kPa (105 PSI) SINGLE
620 kPa (90 PSI) DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN 4P1BAAPPMA022602 TYPE Emergency Vehicle

ASD Pierce No. 418 Siskens Autopilot BTUV Beiwheel FLN02100
Mark Pierce No. 101 Siskens Autopilot BTUV Beiwheel FLN02110

Verify All Fluid Capacities and Perform All Maintenance Items outlined in the Operator's Manual. All The Recommended Time Intervals.

Component	Fluid Capacity	Fluid Type
Engine	24.8 Liter	24.8 Quart
Trans.	48.0 SVD	150-90 GL-4
Oil Coolant	36.9 Liter	36.9 Quart
Power Steering	21.2 Liter	21.2 Quart
Front Axle	3.5 Liter	4.0 Quart
Rear Axle (80 or Single)	13.2 Liter	14.7 Quart
Rear Axle (80)	11.9 Liter	12.6 Quart
Gear Oil	3.5 Liter	4.0 Quart
Oil	36.4 Liter	38.0 Quart
Transfer Case	8.0 Liter	8.5 Quart
Exhaust System - For New York	8.0 Liter	8.5 Quart
Braking Air Compressor	8.0 Liter	8.5 Quart
CAV-2 Compressor	8.0 Liter	8.5 Quart
Water Pump Transmission	8.0 Liter	8.5 Quart
Water Pump Filter	8.0 Liter	8.5 Quart
Air Compressor	8.0 Liter	8.5 Quart

DSC01183



DSC01184



DSC01185



DSC01186



DSC01187



DSC01188



DSC01188a



DSC01188b




DSC01188c



DSC01188d



DSC01188e



DSC01188f



DSC01188g



DSC01188h



DSC01188i



DSC01188j



DSC01188k



DSC01188l



DSC01188m



DSC01188n



DSC01189



DSC01190



DSC01191



DSC01192



DSC01193



DSC01194



DSC01195




DSC01196



DSC01197



DSC01198



DSC01199



DSC01200



DSC01201



DSC01202



DSC01203



DSC01204



DSC01205



DSC01206



DSC01207



DSC01208




DSC01209



DSC01210



DSC01211



DSC01212



DSC01213



DSC01214



DSC01215



DSC01216



DSC01217



DSC01218



DSC01219



DSC01220



DSC01221



DSC01222



DSC01223



DSC01224



DSC01225



DSC01226



DSC01227



DSC01228



DSC01229



DSC01230



DSC01231



DSC01232



DSC01233



DSC01234



DSC01235



DSC01236



DSC01237



DSC01238



DSC01239



DSC01240



DSC01241




DSC01242



DSC01243



DSC01244



DSC01245



DSC01246



DSC01247



DSC01248



DSC01248a



DSC01249



DSC01250



DSC01251



DSC01251a



DSC01251b



DSC01251c



DSC01251d



DSC01251e



DSC01251f



DSC01251g



DSC01251h




DSC01251i



DSC01251j



DSC01252



DSC01253



DSC01254



DSC01255



DSC01256



DSC01257



<http://reliantfire.com/>



An Oshkosh Corporation Company



Your Vision to Quality & Safety

©2005- 2021 Fire & Safety Consulting, LLC
Neenah, Wisconsin 54956